


Technical specification of:

Rotating mini drop tower

(MAGNETIC BRAKE)



this image is an example

I.E. PARK S.r.l.

Via Don P. Borghi 3

42043 Praticello di Gattatico REGGIO EMILIA - ITALY

phone +39-0522-678526

e-mail: sales@iepark.com - website: www.iepark.com

Rev.10-24

Index

	page
5P-3.7R - Technical Data	3
5P-4.5R - Technical Data	4
5P-6.0R - Technical Data	5
Mini drop tower -Dimensions	6
Mini drop tower - Images	7

Description

IEPARK's Drop Tower are engineered of latest technologies and for an Indoor and Outdoor use.

The experience of vertical drop is great for all ages, but the adrenaline is under control, thanks to the gentle yet sudden drop games created by iepark's technicians.

Current production line is made of 3 different towers of increasing net stroke.

The seats are 5, with rotation of the gondola and column.


Appropriately dimensioned magnetic brake the safest and latest safety unit in case of multiple failures of all controls.

Custom made colors and theming are optional.

CODE	NET STROKE	COLUMN TYPE	TOWER HEIGHT	OPTIONS
5P-3.7R	2.0 m	☐	4.4	Available with different type of decoration
5P-4.5R	2.7 m	☐	5.2	Available with different type of decoration
5P-6.0R	3.5 m	☐	6.0	Available with different type of decoration

5P-4.4R

Technical Data




TECHNICAL DATA

Weight	-
Total capacity	5 adults or 5 children depending on the footprint restrictions
Hourly capacity	60 passengers
Shipping volume	1x20' ot
Boarding	Simultaneous
Noise level	<80db

ELECTRICAL DATA

Voltage	3phase + neutral + earth (230/400/415 V)
Frequency	50/60 Hz
Motive power	10 kW
Lighting	1 Kw
Moving system	Mechanical
Control	Automatic/Manual

Passengers age/height restrictions: Minimum admissible age 4 years old, height 105 cm




TECHNICAL DATA

Weight	-
Total capacity	5 adults or 5 children depending on the footprint restrictions
Hourly capacity	60 passengers
Shipping volume	1x20' ot
Boarding	Simultaneous
Noise level	<80db

ELECTRICAL DATA

Voltage	3phase + neutral + earth (230/400/415 V)
Frequency	50/60 Hz
Motive power	10 kW
Lighting	1 Kw
Moving system	Mechanical
Control	Automatic/Manual

Passengers age/height restrictions: Minimum admissible age 4 years old, height 105 cm



TECHNICAL DATA

Weight	-
Total capacity	5 adults or 5 children depending on the footprint restrictions
Hourly capacity	60 passengers
Shipping volume	1x20' ot
Boarding	Simultaneous
Noise level	<80db





ELECTRICAL DATA

Voltage	3phase + neutral + earth (230/400/415 V)
Frequency	50/60 Hz
Motive power	10 kW
Lighting	1 Kw
Moving system	Mechanical
Control	Automatic/Manual

Passengers age/height restrictions: Minimum admissible age 4 years old, height 105 cm

Rotating mini drop tower

Dimension



Rotating mini drop tower

Images

